

2 IMPACT RESISTANT LED PENDANT FOR SPORTS HALLS

ATENA LED

SUSPENDED LED LUMINAIRE FOR
SPORTS HALLS AND HIGH CEILING
CIRCULATION SPACES

- IP65 rated and IK impact rated
- High-power LEDs for bright, clear lighting
- Robust, lightweight aluminum housing



Industrial standard suspended luminaire with integrated LED sources. A strong, lightweight cast aluminium body plays a role in radiating heat as well as light, making Atena ideal for larger spaces such as school halls and gymnasiums. Powder coated in grey. Power options available: 15000 lm (129W power), 20000 lm (172W) or 25000 lm (215W). Colour temperature of LED sources: 5000K. Dust and water resistant to IP65 standards, guaranteeing long term performance and reliability.

EXAMPLE PRICE:

Atena LED

15000 lumen

£272.24


+VAT

Including delivery



ATENA LED DIMENSIONS

ATENA LED 20000LM 172W SH E IP65 750



C0 $\alpha = 57^\circ$				
h[m]	\varnothing [m]	C90 $\alpha = 57^\circ$	E_{AV} [lux]	
1	3,07		4168	
2	6,15		1042	
3	9,23		463	
4	12,3		260	
5	15,3		166	



See over for specification



2 IMPACT RESISTANT LED PENDANT FOR SPORTS HALLS



ATENA LED

ATENA LED ASY

LUMINAIRE OPTIONS



TYP	PIW		Φ [lm]	kg	
ATENA LED	129 W	LED	15000	11,00	
ATENA LED NARROW	129 W	LED	15000	11,00	
ATENA LED	172 W	LED	20000	11,00	
ATENA LED NARROW	172 W	LED	20000	11,00	
ATENA LED	215 W	LED	25000	11,00	
ATENA LED NARROW	215 W	LED	25000	11,00	

Available colour of the light: 750

TYP	A (mm)	B (mm)	C (mm)
ATENA LED	457	228	60
ATENA LED NARROW	422	190	60

CONTROL GEAR

Driver

DIFFUSER

Tempered Glass
Micro-prismatic diffuser with hardened glass
Clear PMMA opal diffuser
Clear polycarbonate
PC opal diffuser

WAY OF MOUNTING



MOUNTING

Suspended mounting

WARNING

Technical data may be changed. Photos of the luminaires may differ from reality. Last updated 11.03.2015. Other options of the luminaires available on request.



For more information about **ATENA LED** call 01524 383000